# Upcoming Models & Tools to Improve Manure Management: ManureDB Nancy Bohl Bormann PhD Candidate - University of Minnesota bohlb001@umn.edu Penlbb Livestock and Poultry Environmental Learning Community Webinar 2/16/2024 UNIVERSITY OF MINNESOTA Driven to Discovers

1

### **Overview**

- Livestock manure provides nutrients for cropping systems
- Published U.S. manure "book values" are several decades old
- The University of Minnesota has grant funding to create a manure nutrient database called ManureDB.
- We are partnering with laboratories that analyze manure.
- Partnering with laboratories and universities that analyze manure
- Public website and data download now available



2


### What are manure book values used for?



- Developing manure management plans
- Establishing best nutrient management practices for manure land application



- Using as a baseline for nutrient management education
- Modeling nutrient cycling and gas emissions




**Project Team** Commercial manure laboratories Livestock Alternative energy commodity M groups groups **EXTENSION CFANS** Regulatory & Minnesota Supercomputing Institute agency staff professionals University of Minnesota Driven to Discover\*

Engineers

Researchers

5



# **Survey Data Template**

- Lab Name
- Year Analyzed (required)
- Date Sampled, Date Received, Date Analyzed, Date Reported
- Sample ID
- ZIP Code, State
- Sample Notes
- Manure Type
- Animal or Other Amendment Type (required)
- Manure Treatment
- Agitated
- Bedding Type
- Storage Type
- · Length of Storage
- Application Method
- Targeted Analytes



7

# **Targeted Analytes**

- Total Nitrogen
- Phosphorus Water Extractable
- Phosphorus
- Potassium
- Soluble Potassium
- Zinc
- Sulfur
- Total Carbon
- Total Organic Carbon Calcium

8

- Volatile Solids
- Total Suspended Solids Magnesium Nitrate-N
- Chloride
- Ash
- Total Solids
- Electrical Conductivity Organic Matter
- Carbon:Nitrogen Ratio
- Ammonium-N
- Boron

- Copper
- Mercury Nickel
  - Lead

• Sodium

• Cadmium

Chromium

Cobalt

- Selenium • Aluminum
- Manganese • Silicon Molvbdenum
  - Strontium
  - Calcium
  - Carbonate Equivalent (CCE)
  - Sodium
     Absorption Ratio
    (SAR)
  - Cation Ratio of Soil Structural Stability (CROSS)
  - Fecal Starch
  - Sulfate-S

### **Choose Method, Basis, Units**

- Methods options based on:
- Recommended Methods of Manure Analysis

(z.umn.edu/Manure-analysis-methods)

- AgGateway Modus Agronomic Testing Lab Standard (currently updating!)
- Interviews with labs
- Basis
  - As received (wet)
  - Dry





Units

- %

- ppm

- Ibs/ton









### **ManureDB Current Stats**

- •21 signed data use agreements
- 9 more verbal agreements, pending signatures
- Number of all samples in database: **489,034**
- Number of all samples with known location: 382,935
- Number of all lab results in database: **5,223,334**
- Number of states with at least one sample:49 plus DC and PR

11







### Why care? How could this be useful?


- •Of course, your own samples are always best!
- •Offers comparison scenarios and benchmarking
- Research




14







17



### **Future Plans**



- Mobile-friendly website with design updates
- Add data visualization displays
- Archive data on annual basis in Ag Data Commons with assigned DOI
- Test ability to connect with API
- · Recruit more laboratories, universities, consultants, etc. to participate in the database
- Streamline annual data update

19

## **Acknowledgements**

Additional Authors:

- Melissa L. Wilson, Associate Professor, University of Minnesota
   Erin L. Cortus, Associate Professor and Extension Engineer, University of
- Kevin Janni, Extension Engineer (retired), University of Minnesota
   Larry Gunderson, Pesticide & Fertilizer Management, Minnesota Department of
- Kevin Silverstein, Scientific Lead RIS Informatics Analyst, University of Minnesota This work is supported by the AFRI Foundational and Applied Science Program [grant no. 2020-67021-32465] from the USDA National Institute of Food and Agriculture, the University of Minnesota College of Food, Agricultural and Natural Resource Sciences, Minnesota Supercomputing Institute, Hueg-Harrison Fellowship.











20



